

NOTES

'91 LIGHT BULB - 7.5 VOLT BULB WOULD FAIL IMMEDIATELY IF USED TO TEST THE 45 VOLTS PRODUCED BY THE 5 - 9 VOLT BATTERIES AND THEREFORE WOULD BE USLESS TO BE SURE POWER WAS OFF BEFORE ATTACHING THE BLASTING CAPS

QUESTION WILL BE POSED THAT THE BULB COULD HAVE BEE USED TO TEST THE REMOTE CONTROL TO WHICH THE ANSWER WOULD BE, THE TEST FOR THE REMOTE CONTROL RECEIVER WOULD BE TO ACTIVATE THE TRANSMITTER AND OBSERVE THE SERVO MOVEMENT

'86 ANTENNA WAS ADDED ON - 75" OF GREY INSULATED 22 AWG WIRE

FACT THAT DENNY CAME UP TO VIEW THE '91 REMAINS ON TWO OCCASSIONS AND THERE WERE NO SIGNS OF SOLDERED WIRES UNTIL AFTER HE FILED HIS AFFIDAVIT, SUDDENLY THERE ARE NOW TWISTED AND SOLDERED WIRES. WHY WOULD IT TAKE SO LONG TO BRING THE SOLDERED WIRES UP FROM THE LAB AND WHY WOULD KELLY STATE THAT "ALL" THE REMAINS WERE HERE FROM THE LAB WHEN IN FACT THIS WAS NOT A TRUE REPRESENTATION OF THE FACTS?

'91 COULD THE HEAT FROM THE BLAST HAVE CAUSED THE WIRES ON THE PRE-SOLDERED WIRES TO HAVE THE APPEARANCE OF BEING SOLDERED OUTSIDE OF THE FACTORY?

'86 NOWHERE IS IT MENTIONED WHAT THE EXACT LOCATION OF COMPONENTS WERE

'86 NOWHERE IS THERE ANY MENTION OF A SLIDE SWITCH, IN FACT THE HAND WRITTEN LANNERGAN NOTES STATE THAT "REMOTE CONTROL DEVICE CONTAINED A TOGGLE SWITCH WITH ANTENNA. IT WAS NOT RECOVERED"

'86 NO MENTION HOW RELAY WAS WIRED INTO THE CIRCUIT OR WHAT TYPE OF RELAY WAS USED

NO LIGHT BULB FOUND OR INDICATION OF WHAT THE BULB WAS USED TO TEST IN EITHER '86 OR '91 DEVICE - WASKOM ONLY ASSUMES

'86 OTHER THAN ASSUMPTION, HOW DOES WASKOM KNOW IN WHAT WAY THE TOGGLE SWITCH "ARMED" THE DEVICE

'86 SIMULATOR WAS NOT OBTAINED FOR THE '86 DEVICE, THE SIMULATOR EXISTED AT MARYANNE LEACH'S HOUSE AND DONNA WANTED A WAY TO SET IT OFF. AL T DID NOT SELECT THE SIMULATOR - IT WAS THERE - AL WAS ASKED TO FIND A WAY TO SET IT OFF - AL GOT REMOTE CONTROL TO MAKE THE SIMULATOR GO OFF. TESTIMONY FROM TODD LEACH STSTES THAT SIMULATOR WAS DONNA SHEA'S. TESTIMONY FROM BOB CRAIG WAS THAT THE SIMULATOR BELONGED TO DONNA SHEA AND AL WAS INTIMIDATED INTO SETTING UP DEVICE. MOHAMMOD DIDN'T GO TO THE MOUNTAIN, THE MOUNTAIN WAS BROUGHT TO MOHAMMOD.

[2]

'86 AL WAS NOT DISCOVERED TO BE THE GUILTY PARTY BY TRACING THE REMAINS OF THE DEVICE, AL ADMITTED TO MAKING THE DEVICE FOR DONNA SHEA, AL CONFESSED. WASKOM STATES THAT I LEARNED FROM MY MISTAKE IN '86 BY LEAVING THE SERIAL NUMBER ON THE SIMULATOR SO IN '91 DEVICE I REMOVED THE SERIAL NUMBER FROM THE DYNAMITE SO IT COULD NOT BE TRACED TO ME.

WASKOM APPEARS TO BE USING REVERSE LOGIC, USING THE '91 DEVICE LAYOUT AS THE MODEL TO CREATE THE '86 DEVICE, AS AN EXAMPLE, HE ASSUMES THAT THE '86 DEVICE HAS A SEPARATE BATTERY PACK, A SEPARATE SLIDE SWITCH, A SEPARATE RELAY ASSEMBLY AND A SEPARATE RECEIVER. IN THE '86 REPORT IT IS STATED THAT THERE WERE PORTIONS OF A RADIO SIGNAL RECEIVER THAT CONTAINED ONE SIZE AA "RAYOVAC" BATTERY. I.E. BATTERY PACK AND RECEIVER WERE HOUSED IN THE SAME CONTAINER.

'86 WASKOM ASSUMES THAT THE RELAY IN THE '86 DEVICE IS A DOUBLE POLE DOUBLE THROW, HOW DOES HE KNOW WHAT TYPE OF RELAY WAS USED, AGAIN HE IS ASSUMING

'91 MAKER BOUGHT 4-AA AND 5-9 VOLT BATTERIES ALL WITH THE JULY '94 USE DATE ON THEM. WOULD THIS NOT BE CARELESS AS THE POSSIBILITY EXISTS THAT THIS PURCHASE COULD BE TRACED

'91 MAKER BOUGHT A RADIO SHACK TOGGLE SWITCH AND THE GOVERNMENT ASSUMES IT WAS JR SENT BY ME TO A RADIO SHACK ACROSS THE STREET FROM WHERE I HAD A LARGE PROJECT GOING ON. IF THE MAKER OF THIS DEVICE TOOK THE PRECAUTION TO RE-WRAP THE DYNAMITE AND USE A LATE MODEL FUTABA SYSTEM, WHY WOULD I SEND JR TO PURCHASE A TOGGLE SWITCH AT A RADIO SHACK ACROSS FROM CHRISTIAN SCIENCE WHEN THERE IS A RADIO SHACK WITHIN TEN MINUTES OF MY OFFICE. ALSO, SINCE I AM IN THE ELECTRONIC BUSINESS, I WOULD HAVE ACCESS TO ANY NUMBER OF TOGGLE SWITCHES. ALSO, IF IN '86 I USED A NON TRACEBLE TOGGLE SWITCH WHY, IF I GOT BETTER, WOULD I NOW USE A TRACEBLE SWITCH IN '91.

'91 MAKER USED SUPERGLUE TO BOND WOOD TO WOOD AND ELECTRONIC COMPONENTS TO WOOD - A) DOES THIS SHOW LACK OF KNOWLEDGE OF SUPERGLUE USE (MADE FOR NON-PORUS SURFACES) B) '91 MAKER WOULD EITHER HAVE TO BUY MANY TUBES OF SUPERGLUE OR PURCHASE A LARGE CONTAINER OF SUPERGLUE, THESE BOTH WOULD DRAW ATTENTION TO THE GUILTY PARTY. ALSO, RECOVERED FROM MY MANY LOCATIONS WAS AN ASSORTMENT OF ELMERS WOOD GLUE, GLUE STICKS FROM A HOT MELT GLUE GUN AND OTHER ADHESIVES MORE APPROPRIATE FOR WOOD GLUING, NONE OF WHICH WAS USED IN THE '91 DEVICE.

'86 HAND WRITTEN LANNERGAN NOTES STATE THAT THERE WAS ONE TOGGLE SWITCH THAT DISABLED THE 12 VOLT POWER SYSTEM AND THE DEVICE CONTAINED A TOGGLE SWITCH WITH AN ANTENNA WHICH WAS NOT RECOVERED. AGAIN THERE IS NO MENTION OF A SLIDE SWITCH IN EITHER THE '86 REPORTS OR IN DENNY'S AFFIDAVIT.

[3]

MY COMMENT TO LEAHY THAT A R/C IS UNRELIABLE AND THAT IT WOULD TURN ON IT'S OWN WOULD BE THE REASON FOR THE BACKUP SHORTING TOGGLE SWITCH I.E. AFTER PLACING THE '86 DEVICE ONE WOULD TURN THE SHORTING SWITCH IN THE OFF POSITION, THEN ONE COULD SAFELY REMOVE THE SIMULATOR SHORTING CAP AT ALMOST A TWO (2) FOOT DISTANCE AWAY FROM THE DEVICE AND BE FAR ENOUGH AWAY FROM THE DEVICE IF IT WENT OFF PREMATURELY.

'91 THERE IS NO MENTION OF WHERE THE FUTABA R/C CAME FROM

'91 PLACEMENT OF THE ANTENNA (IF ON THE OUTSIDE OF THE BOX) SHOWS LACK OF RADIO FREQUENCY KNOWLEDGE IN THAT THE ANTENNA COULD HAVE BEEN PLACED ON THE INSIDE OF THE BOX WITH NO ATTENUATION TO THE RECEIVED SIGNAL. IN THE RF INDUSTRY IT IS A KNOWN FACT THAT THE LOWER THE FREQUENCY THE LESS ONE HAS TO BE CONCERNED WITH LINE OF SIGHT PATH AND ATTENUATION DUE TO NON-METALLIC SURFACES.

WASKOM MAKES THE COMMENT THAT ROUND MAGNETS ARE RARE. THE SOURCE OF ROUND MAGNETS IS RATHER LARGE. EVERY CAR ON THE ROAD WITH A RADIO CONTAINS AT LEAST ONE SPEAKER WITH A ROUND MAGNET, EVERY STEREO, HOME, PORTABLE OR AUTO, CONTAINS AT LEAST TWO SPEAKERS WITH ROUND MAGNETS IN THEM, EVERY TV SET CONTAINS AT LEAST ONE SPEAKER WITH A ROUND MAGNET IN IT, CAR SALVAGE YARDS WOULD HAVE AN UNLIMITED SUPPLY OF SPEAKERS WITH MAGNETS IN THEM, CITY DUMPS WOULD BE A SOURCE FOR SPEAKERS WITH ROUND MAGNETS IN THEM ETC ETC ETC

SHAY SR'S GTO - WAS IT EVER CHECKED TO SEE IF IT HAD SPEAKERS REMOVED FROM THE BACK DECK, OR THE UTILITY VAN, OR SR'S BUICK, OR ROLLING WRENCH GARAGE, DID IT CONTAIN ANY DISCARDED SPEAKERS, OR GIAMARCOS GARAGE OR SHAY SR'S OTHER GARAGE LOCATIONS.

'86 SHOW THAT THE PLACEMENT OF THE TOGGLE SWITCH ON THE FIRING SIDE USED AS A BACKUP SHORTING SWITCH MAKES PERFECT SENSE.

'91 SIGNATURE - LEARNING FROM MISTAKES? REWRAPING VS USE FOR SHAY SR TAPE

'86 EXTRORDINARY EFFORTS TO MAKE DEVICE SAFE

'91 EXTRORDINARY EFFORTS TO MAKE DEVICE WORK WITH NO SAFETY

'91 REPORT STATES DUCT TAPE USED WAS 1 9/16" WIDE OR 1.5625" WIDE. COULDN'T 2" WIDE DUCT TAPE HAVE BEEN USED? IF 2" DUCT TAPE WAS USED THERE WOULD BE .4375" LEFT - COULD THIS BE THE SHRINKAGE FACTOR IF 2" TAPE WAS USED?

[4]

'91 IF THE SLIDE SWITCH WAS FOUND AFTER THE FORCE OF A DYNAMITE BLAST, WHY WAS THE SLIDE SWITCH NOT FOUND IN THE MUCH LESSER FORCE OF A SIMULATOR BLAST - WASKOM ONLY ASSUMES THAT THERE WAS A SEPARATE SLIDE SWITCH JUST LIKE THE '91 DEVICE - BUT IN '86 IT WAS NEVER MENTIONED OR FOUND

'86 LANNERGAN'S HAND WRITTEN NOTES SAYS I SAID TOGGLE SWITCH WAS USED TO DISABLE THE 12 VOLT SYSTEM - THIS COULD BE DONE TWO WAYS 1) SWITCH COULD BE IN SERIES WITH THE 12 VOLTS SO THAT POWER COULD NOT GO TO THE SIMULATOR 2) SWITCH COULD BE IN PARELELL WITH THE 12 VOLTS AND IN PARELELL WITH THE SIMULATOR SHORTING CAP AS A BACK UP SHUNT OR SHORT SO THAT THE 12 VOLTS COULD NOT GO TO THE SIMULATOR BEFORE PLACEMENT.

'86 TOGGLE SW FROM UNKN SOURCE
WIRE NOT FROM RASH OR TYCO
RELAY NOT RASH OR TYCO
2 DIFFERENT MANU BATTS
R/C TYCO FROM RASH
SIMULATOR S/N NOT REMOVED
RECEIVER PART OF BATT PACK

'91 TOGGLE SW FROM RASH
WIRE FROM FUTABA AND CAPS
NO RELAY
ALL DURACELL '94 BATTS
R/C FUTABA UNKN SOURCE
DYNAMITE RE-WRAPPED
RECEIVER, SERVO, SLIDE SW,
BATTERY PACK ALL SEPARATE
COMPONENTS
TOGGLE FIRING
SLIDE SW POWER

TOGGLE 1 SHORTING
TOGGLE 2 POWER

'91 DEVICE MADE TO KILL
'86 DEVICE MADE AS PRANK

'91 FACT THAT THE DEVICE WORKED MEANS THAT THE SLIDE SWITCH WAS IN THE "ON" POSITION AT SOME POINT BEFORE DEVICE DETONATED. BASED ON THIS, AND THE FACT THAT THE FUTABA SYSTEM WAS TESTED AND FOUND TO GO "DEAD" AFTER 22 HOURS, IF SHAY SR FOUND THE DEVICE AT OR AROUND 1:00PM ON SUNDAY THE ELAPSED TIME BETWEEN THEN AND 12:00PM MANDAY WOULD BE 23 HOURS. IF THE FUTABA TESTS BAD AT 22 HOURS THEN AT 23 HOURS THE SERVO WOULD NOT HAVE ENOUGH POWER TO THROW THE TOGGLE SWITCH. THE ATF SAYS THAT THE DEVICE WAS PUT ON THE CAR SOMETIME SATURDAY NIGHT BETWEEN 8:00PM AND 10:PM WHICH WOULD NOW PUT THE ELAPSED TIME AT 38 HOURS GIVING THE BENIFIT OF THE DOUBT OF A 10:00 PM INSTALL TIME. GIVEN THESE FACTS, IT WOULD STAND TO REASON THAT SOMEONE WAITED UNTIL MONDAY TO TURN THE DEVICE ON. IF, HOWEVER, THE DEVICE WAS ON AND IT WAS THROWN THE ONLY POSSIBIITY REMAINS THAT IT MIGHT HAVE JARRED THE SLIDE SWITCH INTO THE OFF POSITION, BUT THIS WOULD NOT EXPLAIN WHY IT DETONATED ON MONDAY. THE ONLY OTHER POSSIBILITY WOULD BE THAT THE DEVICE WAS IN THE OFF POSITION AND WHEN IT WAS THROWN IT JARRED THE SWITCH INTO THE ON POSITION BUT NOW WE ARE BACK TO THE DEVICE BEING ON FOR 23 HOURS AND THE PROBABILITY OF THE DEVICE NOT WORKING AFTER THIS LENGTH OF TIME.

[5]

THE FACT THAT DENNY CAME UP TO LOOK AT THE EVIDENCE AND SAW NO SOLDERED WIRES THEN WROTE HIS AFFIDAVIT THEN A LETTER COMES FROM PAUL KELLY STATING THAT THERE IS A BAG WITH SOLDERED REMAINS SEEMS SEEMS A LITTLE STRANGE.

TOM HOBIN THE DA FROM THE QUINCY 1986 CASE HAD STATED TO ME THAT IF ANYTHING SIMILAR TO THE 1986 DEVICE WERE TO OCCUR IN THE FUTURE, THE AUTHORITIES WOULD COME TO ME ASKING QUESTIONS. IT WAS THE MEMORY OF THIS CONVERSATION THAT PROMPTED ME TO TELL JOHN CATES ABOUT THE 1986 DEVICE AND, COMBINED WITH ERIC WILKEY CALLING JOHN ABOUT THE BPD VISITING HIM, DISCUSSING THE POSSIBILITY THAT THE BPD MIGHT VISIT ME AT JOHN'S HOUSE. THE POINT BEING, SHOULD WE BRING TOM HOBIN IN TO TESTIFY TO THIS FACT AS WELL AS THE FACT THAT THERE WAS NO DEAL MADE OTHER THAN THE INDICATION THAT DONNA SHEA WAS THE ONE THAT I DID THE '86 DEVICE FOR. JACK LAMERE WAS ALSO PRESENT FOR THIS DISCUSSION.

EXIS REPORT - QUINCY MASS PRINTOUT - WASKOM SAYS THAT A SLIDE SWITCH WAS USED IN THE 1986 DEVICE, HOWEVER IT DOES NOT APPEAR TO BE LISTED ON THE EXIS REPORT. WASKOM STATES THAT HE GLEANED THIS INFORMATION FROM THE QPD REPORTS AND OR THE DENNY KLEIN REPORT, HOWEVER IT IS NEVER MENTIONED IN ANY REPORT - WHERE DID WASKOM GET THIS INFORMATION FROM?

WASKOM ASSUMES !

EXIS REPORT - QUINCY MASS PRINTOUT - SCHEID LIST THE ONE MAGNET USED IN THE '86 DEVICE TWICE - WHY? ALSO, IN THE '86 REPORT, IT STATES THAT THERE WAS ONLY ONE MAGNET FOUND, WHY THEN WAS IT NOT ENTERED IN THE QUANTITY COLUMN THE NUMBER ONE, IT IS LISTED TWICE AND BOTH TIMES IT IS LISTED WITH "U" OR UNKNOWN IN THE QUANTITY COLUMN.

SCHEID IS BEING POETIC !

FEB 4 WITH DENNIS LEAHY

THE STATEMENT "I'M NOT GOING TO MAKE THE" WAS PART OF THE ENTIRE STATEMENT "I'M NOT GOING TO MAKE THE [DEAL WITH YOU THAT YOU'RE TRYING TO MAKE WITH TOM SHAY, I HAVN'T DONE ANYTHING"]

PEOPLE DON'T GO FROM DOING A PRANK TO KILLING, THAT IS A QUANTUM LEAP IN INTENTION - DAVID WALLACE

BUREAU OF ALCOHOL, TOBACCO, AND FIREARMS
EXPLOSIVE INCIDENTS LISTING
*** VI-INCIDENT ***

PERIOD COVERED: 790101-911231

CARD#	UI	DATE	TYPE	NAME	EM	MID	MFG	CITY	ST	FAC	LOC	VRM	MOT	KIL	INJ	DAMAGE	TIM	ANAL	PNO	JUR	BP	LT	
028949	001 001					PI	UNKN	MISC-INFO															
028949	001 002					BT	DURA	12 VOLT															
028949	001 003					BT	UNKN																
028949	001 004					SP	UNKN																
028949	001 005					BM	UNKN	MOSE CLAMP															
028949	001 006					BT	UNKN																
028949	001 007					BT	UNKN	MINIATURE LAMP															
028949	001 008					CK	UNKN	TIMING DELAY															
028949	001 009					BT	DURA	12-6 VOLT															
028949	001 010					BT	UNKN	DUCT															
028949	001 011					BT	UNKN	TOGGLE															

QUINCY

033236 001 632008611001 090186 B

033236	001 001					SI	MILL	M21															
033236	001 002					BT	UNKN	26 ANG															
033236	001 003					BT	RATO	AA															
033236	001 004					BT	UNKN	FYCO															
033236	001 005					BT	UNKN	REMOTE CONTROL															
033236	001 006					UU	UNKN	SOLDERED															
033236	001 007					BT	DURA	6 VOLT															
033236	001 008					BT	UNKN	TIDDLE															
033236	001 009					BT	UNKN	22 ANG															
033236	001 010					BT	UNKN	BLACK VINYL															
033236	001 011					BT	UNKN	ROUND															
033236	001 012					BT	UNKN	HSP LAB NO F861220															
033236	001 013					UU	UNKN	SPEAKER															
033236	001 014					BT	UNKN	DUCT															

031634 001 63212922008C 102891 B SHAY THOMAS L ROSLINDALE

031634	001 001					BT	UNKN	PLYWOOD															
031634	001 002					BT	UNKN	ROUND															
031634	001 003					BT	UNKN	ROUND SHAPE															
031634	001 004					BT	UNKN	ANTENNA															
031634	001 005					BT	AUST	ROCKSTAR															
031634	001 006					BT	ATLA																
031634	001 007					BT	UNKN	BLACK ELECTRICAL															
031634	001 008					BT	UNKN	DUCT															
031634	001 009					BT	UNKN	USED TO MAKE BOX															
031634	001 010					BT	UNKN	GLUE															
031634	001 011					BT	UNKN	SOLDERED															
031634	001 012					BT	DURA	9 VOLT															
031634	001 013					BT	UNKN	AA															
031634	001 014					BT	UNKN	SLIDE															
031634	001 015					BT	UNKN	EUROPA															
031634	001 016					BT	UNKN	REMOTE CONTROL															
031634	001 017					UU	UNKN	PAINTED															
031634	001 018					UU	UNKN	NATIONAL RESPONSE															
031634	001 019					UU	UNKN	PEER SUPPORT															
031634	001 020					UU	UNKN	POLICEMAN KILLED															
031634	001 021					UU	UNKN																

NO SLIDE WITH NO # L
NO TUNE
NO SWANSONS

SIZE J 7K67
DOUBLE THROW

SPEAKER
DATED 112086
ROUND
ALUMINUM COLORED

NONERMADE
GLUED TO BOX
BALANCE
SPEAKER

SILVER

PROFESSIONAL JOB

PAINTED BLACK

MA AU UV 01 01

00001E 12 06
00001E 04 02

010
035

RY

045

